

## FACSIMILE TRANSMITTAL SHEET

RECEIVED  
CENTRAL FAX CENTER

JAMES C. LYDON  
Attorney At Law  
100 Daingerfield Road  
Suite 100  
703Alexandria, VA 22314

APR 14 2005

►►► IF YOU DID NOT RECEIVE ALL PAGES, PLEASE CALL AS SOON AS POSSIBLE ◄◄◄

FACSIMILE OPERATOR TEL. NO.: (703) 838-0445  
DIRECT LINE TO FACSIMILE: (703) 838-0447

**TO:** Examiner Len Tran

**FIRM:** U.S. Patent and Trademark Office

**FACSIMILE NO.:** 1-703-872-9306

**FROM:** James C. Lydon


**RE:** Amendment After Final Rejection  
U.S. Patent Appln. S.N. 09/763,355  
By: Paulus DE LANGE et al.  
Atty. Case No.: BASE-102

**TOTAL PAGES:** 8 including cover sheet.

**DATE:** April 14, 2005

---

I hereby certify that this paper is being  
facsimile transmitted to the Patent and  
Trademark Office on the date shown above.

  
\_\_\_\_\_  
James C. Lydon

---

THIS FACSIMILE IS INTENDED ONLY FOR THE INDIVIDUAL OR ENTITY NAMED ABOVE (OR THOSE PROPERLY ENTITLED  
ACCESS TO THE INFORMATION) AND MAY CONTAIN INFORMATION THAT IS PRIVILEGED, CONFIDENTIAL OR EXEMPT FROM  
DISCLOSURE UNDER APPLICABLE LAW. IF THE READER OF THIS TRANSMISSION IS NOT THE INTENDED OR AN  
AUTHORIZED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY UNAUTHORIZED DISTRIBUTION, DISSEMINATION, OR COPY  
OF THIS TRANSMISSION IS PROHIBITED.

IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY COLLECT TELEPHONE CALL  
OR BY FACSIMILE. THANK YOU.

RECEIVED  
CENTRAL FAX CENTER  
APR 14 2005

Response Pursuant to 37 CFR 1.116  
Expedited Procedure  
Group Art Unit: 1725

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the patent application of:

Paulus DE LANGE et al.

Serial Number: 09/763,355 Group Art Unit: 1725

Filed: February 21, 2001 Examiner: Tran, Len

For: FLUIDIZED BED METHOD AND REACTOR FOR THE  
TREATMENT OF CATALYSTS AND CATALYSTS CARRIERS

AMENDMENT AFTER FINAL REJECTION

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

April 14, 2005

Sir:

In response to the Official Action dated January 14, 2005,  
please amend this application as follows: